


MATERIAL SAFETY DATA SHEET

MA	ALERIAL SAFETY DATA SHEET					
	Section 1: Identification					
Chemical Name/S	ckuretta CURO IBT Synonyms: Additive plastic hacrylate-based resin 3D printing systems with 385 nm or 405 nm light sources for fabrication of dental					
spacers.						
	tta Technologies Pvt Ltd					
Manufacturer:	MACK4D					
	Am Kraftwerk Lippendorf 16					
	D 04575 Neukiritzsch					
	Tel.: +49 34342 50 98 62					
	Fax: 0049 231 5556 30					
	E-mail: <u>info@mack4d.de</u>					
	Internet: <u>www.mack4d.de</u>					
In emergency call	+49 34342 50 98 62					
MSDS Date of pre	eparation: 16th of August, 2021					
	Section 2: Hazard(s) Identification					
Classification of s	ubstance or mixture according to Regulation (EC) No. 1272/2008:					
Skin irrit.	Cat. 2 H315					
Skin sens	Cat. 1 H317					
Eye irrit.	Cat. 2 H319					
STOT SE Pictograms:	Cat. 3 H335					
Signal Word(s): ha	azard					
Hazard statement	ts:					
315	Causes skin irritation.					
317	May cause an allergic skin reaction.					
319	Causes serious eye irritation.					
335	May cause respiratory irritation.					
Precautionary sta						
264.1	Wash hands thoroughly after handling.					
280	Wear protective gloves/protective clothing/eye protection/face					
protection. 302+352	IF ON SKIN: Wash with plenty of water.					
321	Specific treatment: (refer to Section 4).					
332+313	If skin irritation occurs: Get medical advice/attention.					
362+364	Take off contaminated clothing and wash it before reuse.					
Other hazards: NA						
	ording to Directive 67/548/EEC or 1999/45/EC Hazard symbols					
Hazard Symbols:						
×						

R-phrases Xi

36	Irritating to e					
37	Irritating to re	espiratory system.				
38	Irritating to sk	kin.				
43		nsitization by skin	contact.			
S-phrases	,					
20/21	When using d	lo not eat, drink or	smoke.			
28.2	-			lenty of water and	soan	
		Hazard Identificati		ienty of water and	5000.	
Hazard symbol:			on system			
Health hazard: Flammability: Reactivity:	1 1 1					
Special precaution						
	cording to HMIS	(Hazardous Materi	ials Identification	n System)		
Hazard symbol:						
Bisphenol A–ethoxy Phenol) Dimetha						
HEALTH	1					
FLAMMABILITY	1					
PHYSICAL HAZARD	1					
PERSONAL PROTECT	TION B					
Health hazard:	1					
Flammability:	1					
Physical hazards	=					
Personal protect		В				
reisonal protect	ive equipment.		ocition /Informati	ion on Ingredients		
Cubatan agai Thia	, and ust is a main		Sition/informati	ion on ingredients		
Substances: This	product is a mixt					
	/ /					
Mixtures: Compo	osition/informati					
Mixtures: Compo	osition/informati formation on ing					
Mixtures: Compo			CAS No.	REACH Registration No.	Classification according to Regulation (EC) No. 1272/2008	Hazard class and category
Mixtures: Compo Composition/inf Reagent	ormation on ing	redients	CAS No.	-	according to Regulation (EC) No. 1272/2008	Hazard class and category
Mixtures: Compo Composition/inf Reagent Bisphenol	ormation on ing	EC No.:		-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315	category
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2	ormation on ing	redients	CAS No. 41637-38-1	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317	category
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol)	ormation on ing	EC No.:		-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	category
Nixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	Ormation on ing	EC No.: 41637-38-1	41637-38-1	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317	category
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat ubstance with a	Ormation on ing	EC No.:	41637-38-1	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335	category
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat Gubstance with a Bisphenol	Ormation on ing	EC No.: 41637-38-1	41637-38-1	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335	
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat Gubstance with a Bisphenol A-ethoxylat (2	Ormation on ing	EC No.: 41637-38-1	41637-38-1	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Skin Sens. 1; H317	category
Mixtures: Compo Composition/inf Reagent Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat Gubstance with a Bisphenol	Ormation on ing	EC No.: 41637-38-1	41637-38-1 Ire limit value	-	according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335	category Xi; R36/37/38 -; R



Suitable technical controller: Adequate room ventilation and local aspiration must be ensured. The maximum allowable concentration of the product or ingredients must be observed.

Eye/face protection: Eye protection corresponding to a recognized standard should be worn if a risk assessment shows that eye contact is possible. The following personal protective clothing should be worn: Chemical safety goggles. Wear close-fitting chemical safety goggles or face protection.

Hand protection: Wear protective gloves. In accordance with the data specified by the protective glove manufacturers, it is required while using them to check whether the gloves maintain their repellent properties and to change them as soon as damage is detected. In the case of exposure up to 8 hours, protective gloves made of the following material must be worn: Nitrile rubber.

Other skin and personal protection: Avoid contact with the skin. Wear suitable clothing to prevent possible skin contact. **Hygiene measures:** Wash contaminated skin thoroughly after handling. Before removing the clothing, wash contaminated clothing and skin immediately with plenty of water. Immediately remove all contaminated garments and wash before wearing them again. Contaminated work clothing should not be allowed out of the workplace. When using the product, do not eat, drink or smoke.

Respiratory protection: If ventilation is inadequate, suitable respiratory protection must be worn. Wear a protective mask with full face protection and the following filter cartridge: Filter against organic vapors. Highly effective particle filters.

Section 9: Physical and Chemical Properties

Appearance: Liquid Odor: Specific Color: Various tooth colors Density: 1.1 g/cm3 Bulk density: NA pH: NA Melting point/freezing point: NA Initial boiling point and boiling range: NA Flash point: >150 oC Flammability (solid, gas): NA Explosivity: NA Lower explosion limit: NA Upper explosion limit: NA Ignition temperature: NA **Decomposition temperature: NA Oxidizing potential: NA** Vapour pressure: NA Vapour density: NA Evaporation rate: NA Water solubility: No Fat solubility: NA Soluble in: Partition coefficient: noctanol/water: NA Viscosity: ca.700-1200 Pa s Solvent separation test: NA Solvent content: NA Section 10: Stability and Reactivity **Reactivity:** No information is available. **Chemical stability**: No information is available. Possible hazardous reactions: No information is available. Conditions to avoid: Incompatible conditions: Reaction with light, risk of polymerization. Incompatible materials: Incompatible materials Keep away from radical-forming initiators, peroxides. Hazardous decomposition products: Hazardous products can polymerize spontaneously. Section 11: Toxicological Information Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat 41637-38-1 Specific symptoms in laboratory animals Irritation and etching Irritant effect on the skin Irritant effect on the eye Irritant effect on the respiratory tract Additional information Sensitization Repeated dose toxicity (subacute, subchronic, chronic) CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

Germ cell mutagenicity						
Reproductive toxicity						
Section 12: Ecological Information (non-mandatory)						
Toxicity						
Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat 41637-38-1						
Persistence and degradability: No information is available.						
Bioaccumulative potential: No information is available.						
Mobility in soil: No information is available.						
Results of PBT and vPvB assessment: No information is available.						
Other adverse effects: No information is available.						
Section 13: Disposal Instructions						
Proper disposal/product: Disposal in accordance with regulatory requirements.						
Proper disposal/packaging: May be disposed of in accordance with local regulatory requirements.						
Ecology - waste materials: Avoid discharge into the environment						
Section 14: Transport Information (non-mandatory)						
UN number: none						
Proper UN shipping name: none						
Transport hazard classes: No dangerous goods pursuant to transportation regulations.						
Packaging group: none						
Environmental hazards: none						
Special precautions for transport: none						
Bulk transport in accordance with Annex II of the MARPOL Convention 73/79 pursuant to IBC Code: No						
Section 15: Regulatory Information (non-mandatory)						
Regulations on safety, health and environmental protection/specific laws for the substance or mixture						
EU regulations						
Information about Regulation (EC) No. 166/2006 concerning the establishment of a European Pollutant Release and						
Transfer Register: irrelevant						
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer: irrelevant						
Regulation (EC) No. 648/2004 on detergents: irrelevant						
Regulation (EC) No. 850/2004 [POP regulation]: irrelevant						
Regulation (EU) No. 649/2012 concerning the import and export of hazardous chemicals: irrelevant						
Restriction on use in accordance with REACH Annex XVII No.: irrelevant						
National regulations						
National regulations must also be observed.						
Instructions on employment restriction: No information is available.						
Major Accidents Ordinance Not subject to the German Major Accidents Ordinance. Solvent Ordinance (31st Federal Immission Protection Ordinance [BlmSchV]): irrelevant						
Storage class: 10 Combustible liquids unless LGK 3A or 3B.						
Water hazard class (WGK): 1 weak water pollutant (WGK 1)						
Section 16: Other Information						
Text of H and R phrases (number and full text)						
H phrases Text H315 Causes skin irritation						
H315Causes skin irritationH317May cause an allergic skin reaction.						
·						
319Causes serious eye irritation.335May cause respiratory irritation.						
P phrases						
36 Irritating to eyes.						
37 Irritating to respiratory system.						
38 Irritating to skin.						
-						
43 May cause sensitization by skin contact. Training tips: Only trained personnel should use this product.						
Recommended restriction(s) on use: No special measures are required.						
Further information: REJECTION OF LIABILITY We have obtained the information in this data sheet from sources that we						
consider reliable. The accuracy of expressed or implied information cannot be guaranteed. The conditions or methods for						
handling, storage, use or disposal of the product are beyond our control and possibly also our knowledge. For these and						
other reasons, we accept no responsibility and expressly reject liability for any losses, damage or costs that may arise from bandling, storage, use or disposal of the product or that may be associated therewith in any way. This Safety Data						
from handling, storage, use or disposal of the product or that may be associated therewith in any way. This Safety Data						
from handling, storage, use or disposal of the product or that may be associated therewith in any way. This Safety Data Sheet was created for this product and may only be used for this product. If the product is used as a component of						

This information is based on our current knowledge and should only describe the product with regard to health, safety and environmental conditions. It must therefore not be construed as a guarantee for any specific property of the product.